AUTHOR INDEX

Alavi, N., Spangler, R.A. and Jung, C.Y.
Sodium-dependent glucose transport by cultured proximal tubule cells (899) 9
Arvinte, T., Wahl, P. and Nicolau, C.
Low pH fusion of mouse liver nuclei with liposomes bearing covalently bound lysozyme (899) 143
Aures-Fischer, D., see Cuppoletti, J. (899) 276

Bessler, W., see Szamel, M. (899) 247
Blakeman, D.P., see Im, W.B. (899) 285
Böhmerová, E., see Kováč, L. (899) 265
Bondeson, J. and Sundler, R.
Phosphatidylethanol counteracts calcium-induced membrane fusion but promotes proton-induced fusion (899) 258
Bracy, D.S., Schenerman, M.A. and Kilberg, M.S.
Solubilization and reconstitution of hepatic System A-mediated amino acid transport. Preparation of proteoliposomes containing glucagon-stimulated transport activity (899) 51
Brasitus, T.A., see Dudeja, P.K. (899) 222
Broda, H.G., Schnettler, R. and Zimmermann, U.
Parameters controlling yeast hybrid yield in electrofusion: the relevance of pre-incubation and the skewness of the size distributions of both fusion partners (899) 25
Bursaux, E., see Vasseur, C. (899) 1

Calahorra, M., Ramírez, J., Clemente, S.M. and Peña, A.
Electrochemical potential and ion transport in vesicles of yeast plasma membrane (899) 229
Carrasquer, G., see Rehm, W.S. (899) 17
Casteels, R., see Wuytack, F. (899) 151
Cavieres, J.D.
Fast reversal of the initial reaction steps of the plasma membrane ($Ca^{2+} + Mg^{2+}$)-ATPase (899) 83
Chang, S.-M., see Wang, C.-T. (899) 205
Clemente, S.M., see Calahorra, M. (899) 229
Cuppoletti, J., Aures-Fischer, D. and Sachs, G.
The lysosomal H^+ pump: 8-azido-ATP inhibition and the role of chloride in H^+ transport (899) 276

Dagher, G.
The effect of cellular calcium on Na^+/K^+ cotransport in human red blood cells (899) 313
Dahiya, R., see Dudeja, P.K. (899) 222
Das, S.K., see Sikpi, M.O. (899) 35
Davis, J.P., see Im, W.B. (899) 285
Deuticke, B., Heller, K.B. and Haest, C.W.M.
Progressive oxidative membrane damage in erythrocytes after pulse treatment with *t*-butylhydroperoxide (899) 113
Deuticke, B., Lütkemeier, P. and Sistemich, M.
Uncoupling of oxidative leak formation from lipid peroxidation in the human erythrocyte membrane by antioxidants and desferrioxamine (899) 125
Dinno, M.A., see Rehm, W.S. (899) 17
Dodd, N.J.F., see Needham, L. (899) 44
Dudeja, P.K., Foster, E.S., Dahiya, R. and Brasitus, T.A.
Modulation of Na^+-H^+ exchange by ethinyl estradiol in rat colonic brush-border membrane vesicles (899) 222

Enyedi, Á., see Sarkadi, B. (899) 129
Epand, R.M., see Surewicz, W.K. (899) 307

Fischman, A.J., see Scott, J.A. (899) 76
Foster, E.S., see Dudeja, P.K. (899) 222
Frank, J.S., see Philipson, K.D. (899) 59
Frye, J., see Yeagle, P.L. (899) 137
Fujita, Y., see Katsu, T. (899) 159
Funder, J., Parker, J.C. and With, J.O.
Further evidence for coupling of sodium and proton movements in dog red blood cells (899) 311

Gárdos, G., see Sarkadi, B. (899) 129
Goldfine, H., see Johnston, N.C. (899) 302
Goppelt-Strübe, M., see Szamel, M. (899) 247

Haest, C.W.M., see Deuticke, B. (899) 113
Hagan, E.A., see Rehm, W.S. (899) 17
Hägerstrand, H., see Isomaa, B. (899) 93
Heller, K.B., see Deuticke, B. (899) 113
Hirota, T., see Katsu, T. (899) 159
Homcy, C.J., see Scott, J.A. (899) 76
Houslay, M.D., see Needham, L. (899) 44

Im, W.B., Davis, J.P., Blakeman, D.P., Sachs, G. and Robert, A.
Gastric antisecretory activity of cycloheximide due to inhibition of protein synthesis (899) 285
Isomaa, B., Hägerstrand, H. and Paatero, G.
Shape transformations induced by amphiphiles in erythrocytes (899) 93

Johnston, N.C., Goldfine, H., Malthaner, M. and Seelig, J.
^{2}H-NMR studies on ether lipid-rich bacterial membranes: deuterium order profile of *Clostridium butyricum* (899) 302

Jones, L.R., see Wuytack, F. (899) 151
Jung, C.Y., see Alavi, N. (899) 9

Katsu, T., Kobayashi, H., Hirota, T., Fujita, Y., Sato, K. and Nagai, U.
Structure-activity relationship of gramicidin S analogues on membrane permeability (899) 159
Khaw, B.-A., see Scott, J.A. (899) 76
Kilberg, M.S., see Bracy, D.S. (899) 51
Kobayashi, H., see Katsu, T. (899) 159
Kolb, H.-A. and Ubl, J.
Activation of anion channels by zymosan particles in membranes of peritoneal macrophages (899) 239
Kováč, L., Böhmerová, E. and Nečas, O.
The plasma membrane of yeast protoplasts exposed to hypotonicity becomes porous but does not disintegrate in the presence of protons or polyvalent cations (899) 265

Loew, L.M., see Lojewska, Z. (899) 104
Lojewska, Z. and Loew, L.M.
Insertion of amphiphilic molecules into membranes is catalyzed by a high molecular weight non-ionic surfactant (899) 104
Lütkemeier, P., see Deuticke, B. (899) 125
Lynch, A.M. and McGivan, J.D.
Evidence for a single common Na^+-dependent transport system for alanine, glutamine, leucine and phenylalanine in brush-border membrane vesicles from bovine kidney (899) 176

McDonough, A.A., see Philipson, K.D. (899) 59
McGivan, J.D., see Lynch, A.M. (899) 176
Malthaner, M., see Johnston, N.C. (899) 302
Mantsch, H.H., see Surewicz, W.K. (899) 307

Nagai, U., see Katsu, T. (899) 159
Nečas, O., see Kováč, L. (899) 265
Needham, L., Dodd, N.J.F. and Houslay, M.D.
Quinidine and melittin both decrease the fluidity of liver plasma membranes and both inhibit hormone-stimulated adenylate cyclase activity (899) 44
Nicolau, C., see Arvinte, T. (899) 143
Nikinmaa, M. and Railo, E.
Anion movements across lamprey (*Lampetra fluviatilis*) red cell membrane (899) 134

Oliveira-Castro, G.M., see Persechini, P.M. (899) 213
Orlowski, R.C., see Surewicz, W.K. (899) 307

Paatero, G., see Isomaa, B. (899) 93
Parker, J.C., see Funder, J. (899) 311
Peña, A., see Calahorra, M. (899) 229
Persechini, P.M. and Oliveira-Castro, G.M.
Electrophysiology of phagocytic membranes: intracellular K^+ activity and K^+ equilibrium potential in macrophage polykaryons (899) 213
Petersen, O.H., see Squire, L.G. (899) 171
Philipson, K.D., McDonough, A.A., Frank, J.S. and Ward, R.
Enrichment of Na^+-Ca^{2+} exchange in cardiac sarcolemmal vesicles by alkaline extraction (899) 59
Piau, J.P., see Vasseur, C. (899) 1
Plagemann, P.G.W. and Woffendin, C.
Comparison of the equilibrium exchange of nucleosides and 3-*O*-methylglucose in human erythrocytes and of the effects of cytochalasin B, phloretin and dipyridamole on their transport (899) 295

Rabito, C.A., see Scott, J.A. (899) 76
Raeymaekers, L., see Wuytack, F. (899) 151
Railo, E., see Nikinmaa, M. (899) 134
Ramírez, J., see Calahorra, M. (899) 229
Rehm, W.S., Schwartz, M., Carrasquer, G., Hagan, E.A. and Dinno, M.A.
Inhibition of acid secretion of fundus of *Rana pipiens* with a high concentration of potassium on the secretory side (899) 17
Resch, K., see Szamel, M. (899) 247
Robert, A., see Im, W.B. (899) 285
Roos, W. and Slavík, J.
Intracellular pH topography of *Penicillium cyclopium* protoplasts. Maintenance of ΔpH by both passive and active mechanisms (899) 67

Sachs, G., see Cuppoletti, J. (899) 276
Sachs, G., see Im, W.B. (899) 285
Sarkadi, B., Enyedi, Á. and Gárdos, G.
Conformational changes of the in situ red cell membrane calcium pump affect its proteolysis (899) 129
Sato, K., see Katsu, T. (899) 159
Schenerman, M.A., see Bracy, D.S. (899) 51
Scheule, R.K.
Fusion of Sindbis virus with model membranes containing phosphatidylethanolamine: implications for protein-induced membrane fusion (899) 185
Schnettler, R., see Broda, H.G. (899) 25
Schwartz, M., see Rehm, W.S. (899) 17
Scott, J.A., Fischman, A.J., Khaw, B.-A., Homcy, C.J. and Rabito, C.A.
Free radical-mediated membrane depolarization in renal and cardiac cells (899) 76
Seelig, A.
Local anesthetics and pressure: a comparison of dibucaine binding to lipid monolayers and bilayers (899) 196
Seelig, J., see Johnston, N.C. (899) 302
Shiao, Y.-J., see Wang, C.-T. (899) 205
Sikpi, M.O. and Das, S.K.
The localization of cholinephosphotransferase in the outer membrane of guinea-pig lung mitochondria (899) 35
Sistemich, M., see Deuticke, B. (899) 125
Slavík, J., see Roos, W. (899) 67
Spangler, R.A., see Alavi, N. (899) 9
Squire, L.G. and Petersen, O.H.
Modulation of Ca^{2+}- and voltage-activated K^+ channels by internal Mg^{2+} in salivary acinar cells (899) 171
Sundler, R., see Bondeson, J. (899) 258

Surewicz, W.K., Epand, R.M., Orlowski, R.C. and Mantsch, H.H.
Structural properties of acidic phospholipids in complexes with calcitonin: a Fourier transform infrared spectroscopic investigation (899) 307
Szamel, M., Goppelt-Strübe, M., Bessler, W., Wiesmüller, K.H. and Resch, K.
Separation of plasma membrane domains of calf thymocytes by affinity chromatography on ouabain-Sepharose (899) 247

Tsai, W.-J., see Wang, C.-T. (899) 205

Ubl, J., see Kolb, H.-A. (899) 239

Vasseur, C., Piau, J.P. and Bursaux, E.
Cation dependence of the phosphorylation of specific residues in red cell membrane protein band 3 (899) 1
Verbist, J., see Wuytack, F. (899) 151

Wahl, P., see Arvinte, T. (899) 143
Wang, C.-T., Tsai, W.-J., Chang, S.-M., Shiao, Y.-J. and Yang, C.-C.
Different susceptibilities of platelet phospholipids to various phospholipases and modifications induced by thrombin. Possible evidence of rearrangement of lipid domains (899) 205
Ward, R., see Philipson, K.D. (899) 59
Wiesmüller, K.H., see Szamel, M. (899) 247
Wieth, J.O., see Funder, J. (899) 311
Woffendin, C., see Plagemann, P.G.W. (899) 295
Wuytack, F., Raeymaekers, L., Verbist, J., Jones, L.R. and Casteels, R.
Smooth-muscle endoplasmic reticulum contains a cardiac-like form of calsequestrin (899) 151

Yang, C.-C., see Wang, C.-T. (899) 205
Yeagle, P.L. and Frye, J.
Effects of unsaturation on ^{2}H-NMR quadrupole splittings and ^{13}C-NMR$^{\cdot}$ relaxation in phospholipid bilayers (899) 137

Zimmermann, U., see Broda, H.G. (899) 25